



US005565109A

United States Patent [19]  
Sweeny

[11] Patent Number: 5,565,109  
[45] Date of Patent: Oct. 15, 1996

[54] HYDANTOIN-ENHANCED HALOGEN  
EFFICACY IN PULP AND PAPER  
APPLICATIONS

4,427,692	1/1984	Girard .....	424/272
4,537,697	8/1985	Girard .....	252/90
4,698,165	10/1987	Theyson .....	210/755
4,925,866	5/1990	Smith .....	514/389

[75] Inventor: Philip G. Sweeny, Hackettstown, N.J.

Primary Examiner—Peter A. Hruskoci  
Attorney, Agent, or Firm—Darby & Darby, P.C.

[73] Assignee: Lonza Inc., Fair Lawn, N.J.

[21] Appl. No.: 323,459

[57] ABSTRACT

[22] Filed: Oct. 14, 1994

Free halogen sources (e.g., sodium hypochlorite and chlorine) added as slimicides in high organic component process streams such as pulp and paper processing are rendered more efficacious by the addition of selected N-hydrogen compounds (namely, 5,5-dimethylhydantoin, 5-ethyl-5-methylhydantoin, cyanuric acid, succinimide, urea, 4,4-dimethyl-2-oxazolidinone, and glycouril) to the process stream. The latter compounds may be added to the process stream before or after the slimicide is added or combined with the slimicide and added directly thereto. The direct use of halogenated hydantoins has also been found to provide improved efficacy relative to free halogen sources. In addition, absorbable organic halogen by-products are reduced.

[51] Int. Cl.<sup>6</sup> ..... C02F 1/50

13 Claims, No Drawings

[52] U.S. Cl. ..... 210/755; 210/754; 210/764;

210/756; 162/161

[58] Field of Search ..... 162/161; 210/754,  
210/755, 756, 764

[56] References Cited

U.S. PATENT DOCUMENTS

3,328,294	6/1967	Self et al. ....	210/62
3,749,672	7/1973	Golton et al. ....	252/95
4,297,224	10/1981	Macchiarolo et al. ....	210/755

PRINTED IN U.S.A. 10-15-96